FOOD GRADE **MACHINE OIL**



- NSF H1 registered #129000 for use in meat and poultry plants
- Conforms to USDA H1 1998
- Meets FDA Regulation 21-CFR-178.3570 for incidental food contact
- Penetrates to loosen frozen nuts and bolts
- **Provides excellent lubricity**
- Does not contain silicone
- Colorless, odorless and non-toxic
- Eliminates sticking, binding and squeaking
- **Non-staining lubricant**
- Safe on most surfaces
- Inverta spray valve lets you spray in an upright or inverted position
- Value performance

Food Grade Machine Oil is available in this size:

11 oz. (312 grams) aerosol

01316

Typical applications where Food Grade Machine Oil can be used:

- Bottling Equipment
- Casters
- Channels
- Chutes
- Conveyors
- Cutting Equipment
- Filling Equipment
- Food Processing Equipment
- Food Service Carts
- Food Racks
- Slicers
- Sliding Tracks
- Rubber Mounts & Moldings
- Weather Stripping
- Window Channels

General Information

Food Grade Machine Oil is a general purpose lubricant for use on food processing equipment. Food Grade Machine Oil is NSF H1 registered #129000 for use in meat and poultry plants. It penetrates to loosens rusted nuts and bolts. Food Grade Machine Oil conforms to USDA H1 -1998. It meets FDA regulation 21-CFR-178.3570 for incidental food contact. Food Grade Machine Oil contains no silicone or chlorinated solvents. Food Grade Machine Oil is safe to use on metal, wood and most plastic surfaces.

Material Safety Data Sheets are available upon request.

Properties

Flash point: 175°F (79°C)

Temperature Range: 15°F (-9°C) to 300°F (149°C)

VOC Content: Exempt

Propellant: Carbon Dioxide

Specific Gravity

0.825 @ 77°F (25°C)

